<b>Patient Name</b>
DOB:
<b>Next Due Date:</b>

Gender: Age:

Date of Service: Race/Ethnicity:



## ANNUAL WELLNESS VISIT 2024 (FFS)

<u>Vital signs</u> : BP:P:	T: _	R:	Ht:	Wt:	_ BMI:	Pulse Ox:	
Reason for Appointment:   In	nitial Annual	Wellness Visit	Subsequen	t Annual Welln	ess Visit		
			-			(I(	
Medical Histo Conditions	ory: Does pa	tient have/have	Conditions	of the following	ig (cneck all	Conditions	
Conditions		CKD stag		(N18.4)	Oncology	/Hematology	(C-code)
		(GFR = 15-2)	•	(1(1011)	Cance		(e code)
Circulatory System	(151.4)	CKD stag		(N18.5)		therapy: Y / N	
AAA> 3cm	(I71.4)	(GFR >15 m		, ,	-	opting out of treatmen	t: Y / N
A the graph large is a f Evter mitter.	(I77.819)	☐ Diabetic Ne	uropathy	(E11.42)		N; specify:	
Atherosclerosis of Extremities;	(170.2x)	☐ Diabetic Gas	stroparesis	(E11.43)	Ophthalr	nology	
pecify location and type:  Atherosclerotic Hrt Dis of Native	(170.2X)	☐ Diabetic Cat	taract	(E11.36)	☐ Glauce	oma; type:	(H40.1x)
Coronary Artery or CABG w/Angina	(I25.119)	Diabetic Ma	cular Edema	(E11.311)	Pulmona	v	
Atherosclerosis of Aorta	(I70.0)	Diabetic Ret		(E11.319)		na; severity:	(J45.x)
Atherosclerosis of Renal Artery	(I70.1)	Proliferative	e Diabetic	(E11.359)		ic Bronchitis	(J42)
Peripheral Vascular Disease	(I73.9)	Retinopathy				ic Respiratory Failure	( <b>J96.10</b> )
Phlebitis and Thrombophlebitis	(I80.209)	Diabetic PV		(E11.51)	(O <sub>2</sub> Sat<8	· ·	
of deep vessels of lower extremity	(100120)	Diabetic Gar		(E11.5)		O/Chronic Obstructive	( <b>J44.9</b> )
Varicose Veins with ulceration;	(183.0x)		other complicat		Asthma		(7.42.0)
location:	(=====)		Atherosclerosis	(170.2x)	Emph		(J43.9)
Angina Pectoris; (even if controlled	(I20.9)	Diabetic		(I25.10)	Psychiati		· (E10.00)
by meds)	(	☐ Diabetic		(Z95.1)		ol Dependence/Intoxio	cation (F10.20)
Atrial Fibrillation	(I48.91)		s/p PTCA	(Z98.61)	(even in r	,	111 - F10
Atrial Flutter	(I48.92)		Erectile Dysfun			nce Use Disorder (I	
PSVT	(I47.1)		Hyperlipidemia			if pt on pain manager	nent or under
Sick Sinus Syndrome/SA Node	(I49.5)		Onychomycosis		MD super		. 1 (E11.10)
Dysfunction	,	Diabetic		(L89.x)		pioid abuse, uncomplic	cated (F11.10)
Heart Failure; specify:	(150.x)	Location &		: (E2)		pioid dependence,	
Hyperlipidemia	(E78.5)		lypo- Parathyroid		(F11.20)		- (E10.10)
Hypertension: Essential (Primary)	(I10)	Malnutrition		(E4x)		psychoactive substanc	e ( <b>F19.10</b> )
Hypertensive Heart Disease with	$(\mathbf{I11.0})$		esity (BMI>40)	(E66.01)		complicated	(E21.0)
Heart Failure		☐ BMI 40.		(Z68.41)		nr Disorder	(F31.9)
Hypertensive Heart Disease without	( <b>I11.9</b> )	☐ BMI 45. ☐ BMI 50.		(Z68.42)		Depression; Single Ep	) isode ( <b>F 32.X</b> )
Heart Failure		☐ BMI 60.		(Z68.43) (Z68.44)	severity:	Depression; Recurren	t Enicodo
☐ Hypertensive CKD Stage 1-4	(I12.9)	☐ BMI 70.		(Z68.45)	-	-	(F33.x)
Hypertensive CKD Stage 5 or ESRD	$(\mathbf{I}12.0)$	_	oventilation sync		Severity.	nhrania	(F20.9)
☐ Hypertensive Heart Disease and CKD	)	Gastroenterolo		110111e (E00.2)	Rheumat	-	(F 20.9)
Stage 1-4 with Heart Failure	$(\mathbf{I13.0})$	Alcoholic L		(K70.9)	Osteo		(M81.0)
Hypertensive Heart Disease and CKD	)	Chronic Her		(K73.9)		ogic Vertebral Fx	(M48.57XA)
Stage 1-4 without Heart Failure	(I13.10)	Chronic Vir		(B18.9)		natoid Arthritis	(M06.9)
Hypertensive Heart Disease and CKD		Cirrhosis	ai riepatitis	(K74.60)		ubcutaneous Tissue	(14100.2)
Stage 5 or ESRD without Heart Failure	(I13.11)	Fecal Impac	rtion	(K56.41)		Pressure Ulcer: Y / N	(L97.x)
☐ Hypertensive Heart Disease and CKD		Crohn's Dis		(K50.90)	Location:		(L)7.A)
Stage 5 or ESRD with Heart Failure	(I13.2)	Ulcerative C		(K51.90)		re Ulcer: Y / N	(L89.x)
Old MI (>8 weeks)	$(\mathbf{I25.2})$	Genitourinary		(11011)0)	Location/		(20)
Primary Pulmonary Hypertension	$(\mathbf{I27.0})$	CKD 3	Бубест	(N18.3)	Status	stage.	
Secondary Hypertension	(I15.9)	CKD 4		(N18.4)		tation; site:	(Z89.xxx)
Endocrinology/Metabolic		CKD 5		(N18.5)		ny; type:	(Z93.x)
Long term Insulin use	( <b>Z79.4</b> )		n-Compliance	(Z91.15)		olant; type:	$(\mathbf{Z}\mathbf{94.x})$
Diabetes Mellitus w/o complications	(E11.9)	☐ ESRD		(N18.6)	Other	, ., ., ., .,	()
Diabetic Nephropathy	(E11.21)	Peritoneal D	Dialysis	$(\mathbf{Z49.01})$	1.		
Diabetic CKD	(E11.22)	Renal Dialy		$(\mathbf{Z99.2})$	2.		
CKD stage 3 (Unspecified)	(N18.30)	Neurology		(= <b>-</b> )	3.		
CKD stage 3A Moderate CKD	(N18.31)	Alzheimer's	Disease	(G30.x)	4.		
(GFR = 45-59 mL/min)		☐ Migraines; t		(G43.x)	5.		
CKD stage 3B Moderate CKD	(N18.32)		ate effects:				
(GFR = 30-44  mL/min)		Parkinson's		(G20)			
		Seizure or E		(G40.x)			
Provider Signature:			1 11 11	()	Dat	te:	
Print Name & Credentials:					Da		

<b>Patient Name</b>
DOB:
<b>Next Due Date:</b>

Gender: Age: Date of Service: Race/Ethnicity:



Family History:	Relationship: (circle)	Surgical/Hospital History:
Alcohol Dependence/Intoxication	Mother/Father/Sister/Brother/other:	
☐ Asthma/COPD ☐ Cancer; type:	Mother/Father/Sister/Brother/other: Mother/Father/Sister/Brother/other:	
Coronary Artery Disease	Mother/Father/Sister/Brother/other:	
Major Depression/Suicide	Mother/Father/Sister/Brother/other:	
Diabetes Mellitus; type:	Mother/Father/Sister/Brother/other:	
☐ Glaucoma ☐ Hyperlipidemia	Mother/Father/Sister/Brother/other: Mother/Father/Sister/Brother/other:	
☐ Hypertension	Mother/Father/Sister/Brother/other:	
Stroke	Mother/Father/Sister/Brother/other:	
Other Hereditary Medical Events:	Mother/Father/Sister/Brother/other:	
List of current Providers/Suppliers (	Pharmacy) regularly involved in member's mo	edical care:
Allergies:		
<u>Current Medications</u> : (please list all supplements AND dosages, frequency	known prescriptions, over-the-counters, herbay and route of administration)	ls and vitamin/mineral/dietary (nutritiona
☐ No current medications	Provider reviewed and re	econciled medication list
Please see attached medication list		concincu incurcation list
☐ Opioid User Identified		
<ul><li>No new treatment options required</li><li>Risks &amp; Benefits for new treatment opti</li></ul>	on(s) discussed with patient. Please list treatment optic	ons (i.e. new medications prescribed, non-opioid
☐ No new treatment options required ☐ Risks & Benefits for new treatment opti pain treatments, dialysis treatment, etc.) bel	ow.	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient decented</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
☐ No new treatment options required ☐ Risks & Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel ☐ Treatment options offered and patient descriptions	low. eclined	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient definition</li> <li>Treatment Options</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient definition</li> <li>Treatment Options</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient definition</li> <li>Treatment Options</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient definition</li> <li>Treatment Options</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
□ No new treatment options required □ Risks & Benefits for new treatment opti pain treatments, dialysis treatment, etc.) bel □ Treatment options offered and patient de  Treatment Options	low. eclined	ons (i.e. new medications prescribed, non-opioid
<ul> <li>No new treatment options required</li> <li>Risks &amp; Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel</li> <li>Treatment options offered and patient definition</li> <li>Treatment Options</li> </ul>	low. eclined	ons (i.e. new medications prescribed, non-opioid
No new treatment options required Risks & Benefits for new treatment optipain treatments, dialysis treatment, etc.) bel Treatment options offered and patient de Treatment Options	low. eclined	



## Please check any that applies $\Box$ HMO $\Box$ Hospice $\Box$ ESRD $\Box$ Permanent NH $\Box$ Expired Date: FCACO QUALITY MEASURE CHECKLIST

Measure Name	Last DOS		CDT/ICD 10 Codes
	Performed	<b>Documented</b> ✓	CPT/ICD-10 Codes
<b>Falls:</b> Screening for Future Fall Risk (2024) (Adults 65+)		Pt screened or assessed for history of falls:  0-1 falls 2 or more falls or <i>any</i> fall with injury	<b>1101F</b> (0-1 falls) <b>1100F</b> (2+ falls or any fall with injury)
Diabetes Type 1 or 2: HbA1c Poor Control >9.0% (2023-2024)  (Adults 18-75)		☐ Diabetes Type 1 or 2 diagnosis; <i>and</i> ☐ Most recent <b>HbA1c result is</b> :	ICD-10 (Diabetes): E08E13. 3044F (most recent HbA1c <7.0%) 3051F (HbA1c >7.0-7.9%) 3052F (HbA1c >8.0-9.0%) 3046F (most recent HbA1c >9.0%)
Essential or Primary Hypertension: Controlled BP <140/90 mmHg HTN diagnosis w/in first 6 months of 2024 or before 2024, continuing into 2024.  (Adults 18-85)		☐ Essential or Primary Hypertension diagnosis; <i>and</i> ☐ Most <b>recent BP reading is</b> :	ICD-10 (HTN): I10 (use combo code if pt. has CKD/ESRD or HF) 3074F SYSTOLIC BP ≤129mmHg 3077F SYSTOLIC BP ≥140 mmH 3078F (DIASTOLIC BP ≥79 mmHg) 3080F (DIASTOLIC BP ≥90 mmHg)
Major Depression/Dysthymia Remission (PHQ-9 < 5) at 12 mo. (Adults 18+ or 12-17 y.o.)		☐ Major Depressive Disorder diagnosis;  or ☐ Dysthymia Disorder diagnosis; and ☐ PHQ-9 >9 (11/1/23-10/31/24); and ☐ f/u PHQ-9 <5 at 12 months +/- 60 days	ICD-10 (MDD): F32. Single episode F33. Recurrent ICD-10 (Dysthymia): F34.1 G9509 (remission at 12 months)
<b>Breast Cancer Screen</b> (on or between 10/1/22-12/31/24)  ( <i>Women 50-74</i> )		Report attached; and Normal Abnormal	3014F (results documented & reviewed)
Colorectal Cancer Screen (2024 or indicated timeframe) Fecal occult blood; or Flexible Sigmoidoscopy (2020-2024); or Colonoscopy (2015-2024); or CT colonography (2020-2024); or Fecal immunochemical DNA test (FIT-DNA) (2022-2024) (Adults 50-75)		Report attached; and Normal Abnormal Normal Abnormal Normal Abnormal Normal Abnormal Normal Abnormal Normal Abnormal	3017F (screening results documented and reviewed)
Vaccinations Influenza (8/1/23-3/31/24) (6mo+)		☐ Influenza vaccine received ☐ Patient reported receipt of Influenza Immunization ☐ Patient declined Influenza Immunization	G8482 (Influenza vaccine administered or previously received)  No code required on claim if pt.  declined.
<b>Tobacco Use:</b> Screened at least once during 2024 and received cessation intervention (within the previous 12 months) if positive tobacco user (Adults 18+)		☐ Tobacco user ☐ Tobacco cessation intervention given ☐ Tobacco non-user	4004F (screened for tobacco use & received cessation intervention) 1036F (current tobacco non-user) 1000F (pt. assessed for tobacco use)
Clinical Depression Screening and Follow-Up Plan if positive (2024) (12 y.o.+)		☐ Negative PHQ-9 ☐ Positive PHQ-9 ☐ Follow-Up Plan if positive: referral for additional evaluation given for depression/medication/other intervention. ☐ Patient refused Depression Screening	G8431 (positive screening & f/u plan documented) G8510 (negative screening documented, f/u plan not required)

Provider Signature:	Date:
Print Name & Credentials:	

Patient Name
DOB:
<b>Next Due Date:</b>

Gender: Age: Date of Service: Race/Ethnicity:



Cardiovascular Disease: Previous or current diagnosis of ASCVD or ASCVD procedure Familial Hypercholesterolemia or fasting or direct LDL-C >= 190 mg/dL (Adults 20+); or Diabetes Type 1 or Type 2 (Adults 40-75) Who were prescribed or were on Statin Therapy in 2024	☐ Atherosclerosis Cardiovascular Disease or procedure; or ☐ Familial Hypercholesterolemia diagnosis; or ☐ LDL-C result is: ☐ or Diabetes Type 1 or Type 2 diagnosis (2024) ☐ and Statin Therapy Rx	G9664 (current statin therapy users or received a prescription for statin therapy)
---	--	--

## **Health Risk Assessment/Individualized Care Plan**

(Please keep on file and provide member with a copy)
WELL BEING:
1. Considering your age, how would you describe your overall physical health?   Excellent   Good  Fair  Poor
2. In general, how satisfied are you with your life?   Mostly satisfied  Partly satisfied  Not satisfied
3. Do you have a history of depression or mood disorders?   Yes or   No
BEHAVIORAL:
1. Do you use tobacco?   Tobacco user  Tobacco non-user
# of packs per year Year Quit
2. Do you drink alcohol?  Yes or  No # of drinks per week
3. Do you use recreational drugs?   Yes or  No Specify:
4. How many times a week do you engage in physical activity? \[ \bigcup 0 \[ \bigcup 1-3 \[ \bigcup 4-5 \[ \bigcup 6 \] or more
5. Describe your nutrition/diet:
ACTIVITY OF DAILY LIVING:
1. Do you have any difficulty doing any of the following activities by yourself?   Yes No  Dressing Prepare food Feeding Bathing Using the toilet Grooming Walking Getting to and from bed or chair Shopping Using a phone Housekeeping (laundry) Paying bills Taking medications  Using transportation - Specify mode:
FUNCTIONAL ASSESSMENT/RISK:
1. Do you have difficulty with your hearing?   Yes or   No
2. Do you have difficulty with your vision/eyesight?  Yes or  No
3. Do you feel safe at home?  Yes or  No
4 How many times have you fallen in the past 12 months?   0 1-2 3-4 5 or more Any major injuries? Yes or No
5. Do you have an advance directive or POLST?   Yes or  No If Yes, Date:  Provider Signature:   Print Name & Credentials:   Date:   Da

**Patient Name** DOB: **Next Due Date:** 

Gender: Age:

**Date of Service:** Race/Ethnicity:



	Plan: M.E.A.T
Diagnosis/Risk Factors	Moniton action to action to Called
(including mental conditions)	Monitor: continue to monitor, continue to follow w/specialist  Evaluate: order labs, evals, tests
	Assess: new, stable, improved, worsening, resolved
	Treat: start/continue (name of meds), order PT/OT, perform procedure or educate/counsel
	M:
	E:
	A:
	T:
	M:
	E:
	A:
	T:
	M:
	E:
	A:
	T:
	M:
	E:
	<b>A</b> :
	T:
	M:
	E:
	A:
Provider Signature:Print Name & Credentials:	Date:

Patient Name DOB: Next Due Date:	Gender: Age:		Date of Servic Race/Ethnicit		FAMIL CHOIC	CE CARE ORGA
	T:					
		e Use Only				
Ask patient to remember three w  Apple Table		e patient can rep	est (6CI) eat three words pou will ask to repe		rm Yes	No
• Penny					Score	ρ
2 What year is this?	□ Correct (0	pts.)   Incor	rect (3 pts.)		Score	
3 What month is this?	□ Correct (0	pts.)   Incor	rect (3 pts.)			
4 What is the day of the week?	□ Correct (0		rect (4 pts.)			
5 Repeat information from #1	□ Correct (0 □ 3 errors (6	pts.) $\Box$ 1 erro		rrors (4 pts.)		
	□ 3 chois (o	pts.) = 4 circ		ld all scores for		
(Q-9) Risk for Depression Screening: Please wer the last two weeks, how often have you	e complete the following	a avactionnaina				
ny of the following problems?	been bothered by	Not at all	Several days	More than half	-	ry
y of the following problems? se "X" to indicate your answer)	been bothered by	Not at all	-	the days	day	ry
y of the following problems? se "X" to indicate your answer) Little interest or pleasure in doing things	been bothered by	Not at all	1	the days	day 3	ry
y of the following problems? se "X" to indicate your answer) Little interest or pleasure in doing things Feeling down, depressed, or hopeless		Not at all	-	the days	day	ry
y of the following problems? se "X" to indicate your answer)  Little interest or pleasure in doing things Feeling down, depressed, or hopeless  Trouble falling or staying asleep, or sleeping Feeling tired or having little energy		Not at all  0 0 0 0 0	1	2 2 2 2 2 2	3 3 3 3 3 3	ry
y of the following problems? se "X" to indicate your answer)  Little interest or pleasure in doing things Feeling down, depressed, or hopeless  Trouble falling or staying asleep, or sleeping Feeling tired or having little energy Poor appetite or overeating	too much	Not at all  0 0 0	1 1 1	2 2 2 2	3 3 3 3	ry
y of the following problems?  See "X" to indicate your answer)  Little interest or pleasure in doing things  Feeling down, depressed, or hopeless  Trouble falling or staying asleep, or sleeping  Feeling tired or having little energy  Poor appetite or overeating  Feeling bad about yourself – or that you are a urself or your family down	too much  failure or have let	Not at all  0 0 0 0 0	1 1 1	2 2 2 2 2 2	3 3 3 3 3 3	ry
y of the following problems?  se "X" to indicate your answer)  Little interest or pleasure in doing things  Feeling down, depressed, or hopeless  Trouble falling or staying asleep, or sleeping  Feeling tired or having little energy  Poor appetite or overeating  Feeling bad about yourself – or that you are a urself or your family down  Trouble concentrating on things, such as read	too much  failure or have let	Not at all  0 0 0 0 0 0	1 1 1 1	2 2 2 2 2 2 2	3 3 3 3 3 3	ry
Ay of the following problems?  Wise "X" to indicate your answer)  Little interest or pleasure in doing things Feeling down, depressed, or hopeless Trouble falling or staying asleep, or sleeping Feeling tired or having little energy Poor appetite or overeating Feeling bad about yourself – or that you are a surself or your family down Trouble concentrating on things, such as read Newspaper or watching television Moving or speaking so slowly that other peopericed. Or the opposite- being so fidgety or rese	too much  failure or have let  ling the  ble could have	Not at all  0 0 0 0 0 0 0 0	1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3	ry
ny of the following problems?  Use "X" to indicate your answer)  Little interest or pleasure in doing things  Feeling down, depressed, or hopeless  Trouble falling or staying asleep, or sleeping  Feeling tired or having little energy  Poor appetite or overeating  Feeling bad about yourself – or that you are a burself or your family down  Trouble concentrating on things, such as read Newspaper or watching television  Moving or speaking so slowly that other people of the opposite being so fidgety or reseen moving around a lot more than usual  Thoughts that you would be better off dead, or	too much  failure or have let  ling the  ple could have ttless that you have	Not at all  0 0 0 0 0 0 0 0 0 0	1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	day  3 3 3 3 3 3 3 3 3	ry
any of the following problems?  (Use "X" to indicate your answer)  1. Little interest or pleasure in doing things 2. Feeling down, depressed, or hopeless 3. Trouble falling or staying asleep, or sleeping 4. Feeling tired or having little energy 5. Poor appetite or overeating 6. Feeling bad about yourself – or that you are a yourself or your family down 7. Trouble concentrating on things, such as read	too much  failure or have let  ling the  ple could have teless that you have  or of hurting yourself  served. Reproduced wi	Not at all  0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 1	the days  2  2  2  2  2  2  2  2	3 3 3 3 3 3 3 3 3 3	ry

\_\_\_\_\_ Date: \_\_\_\_\_

Provider Signature: \_\_\_\_\_\_ Print Name & Credentials: \_ \_\_\_\_\_

Patient Name DOB: Next Due Date:	Gender: Age:	Date of Service: Race/Ethnicity:	FAMILY CHOICE ACOUNTABLE CARE ORGANIZATION
☐ (5-9) Mild Depression ☐ (10-14) Moderate Depression ☐ (15-19) Moderately Severe Depression ☐ (20-27) Severe Depression		☐ Prescribe medication ☐ Consultations ☐ Specialist Referral ☐ Others; specify	
Provider Signature:Print Name & Credentials:		Date:	